Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1032	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 18:55
S2	0	713/193.ccls. and bastion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:08
S3	58	bastion adj host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 19:09
S4	19	S3 and (one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2005/06/15 19:09
S5	19	S3 and (one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:09
S6	17	S5 and (SSL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:09
S7	17	S6 and (router gateway firewall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ,	2005/06/15 19:11
S8	17	S6 and (router gateway firewall) and (encrypt\$5 adj key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:15

S9	0	S8 and (URL with modif\$6 with chang\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/15 19:16
S10		S8 and (URL with (modif\$6 chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:16
S11	6	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network adj security).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:23
S12	69	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:22
S13	55	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network with security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:22
S14	7	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password) and (network with security).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 19:22
S15	36	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (network adj security).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON [.]	2005/06/16 11:39
S16	204	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:43

S17	204	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<"20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/16 11:43
S18	204	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<="20010401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:44
S19	2	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL with (block\$3 translat\$3 verification verif\$3 modify modification modified)) and @py<="20010401" and (password with (CD disc disk "smart card" dvd))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 11:45
S20	121	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) and (URL near3 (block\$3 translat\$3 verification verif\$3 modify modification modified))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:55
S21	482	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:41
S22	0	S21 and (password\$2 with store with (disk disc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:41
S23	0	S21 and (password\$2 with stor\$3 with (disk disc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:42
S24		S21 and (password\$2 with (disk disc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:43

					0.55	
S25	16	S21 and (password\$2 with (card\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:14
S26	352	encrypt near2 password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:14
S27	32	S26 same decrypt near2 password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:16
S28	3	S27 and (one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:15
S29	257	bastion\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/14 16:55
S30	120	user with generat\$4 with (one adj time) near2 password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 16:56
S31	11	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/14 16:57
S32	42	S30 and (gateway\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 16:58

C22	14	\$30 and (gatowayt2) and ((kgy	LIC-DCDLID.	OR	ON	2006/05/14 17:01
S33	14	S30 and (gateway\$2) and ((key password) with pair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB		- ON	2006/05/14 17:01
S34	87582	(gateway firewall bastion dmz)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:03
S35	69694	(smart adj card) (IC adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:04
S36	358	(key with password with pair\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:04
S37	109	(key with password with pair\$2) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:04
S38	. 6	(key with password with pair\$2) same S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:08
S39		SSL with (bastion adj host\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:09
S40	200	726/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:09

S41	211	726/13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/05/14 17:09
			DERWENT; IBM_TDB			
S42	403	726/12,13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:10
S43	36	726/12,13.ccls. and (remote with authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:31
S44	403	726/12,13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:31
S45	4	726/12,13.ccls. and (one adj time) near2 password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:36
S46	1	726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:36
S47	1	726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:40
S48	0	726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index) and (URL with modif\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:40

						7
S49	1	726/12,13.ccls. and (one adj time) near2 password\$2 and (smart adj card) and (index) and (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/14 17:41
S50	283	(one adj time) near2 password\$2 and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:42
S51	56	(one adj time) near2 password\$2 with(smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:54
S52	4006	authenticat\$4 with (gateway\$2 firewall bastion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:54
S53	776	authenticat\$4 with (gateway\$2 firewall bastion) and ((key password) with (pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 17:55
S54	48	authenticat\$4 with (gateway\$2 firewall bastion) same ((key password) with (pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:12
S55	26	(provid\$4 with PIN with user\$2 with remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:31
S56	2	(index with table) with (one adj time) with password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/14 18:32

				`		
S57	48	(index with table) with password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:32
S58	2	(index with table) with password\$2 same (index adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/14 18:33
S59	0	retreiv\$2 with password\$2 with (index adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:33
S60	0	retriev\$2 with password\$2 with (index adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:33
S61	4	password\$2 with (index adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:35
S62	75	(index adj number) with key\$2 with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:35
S63	1	(index adj number) with key\$2 with table with (retriev\$2 near2 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:36
S64 ·	75	(index adj number) with key\$2 with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:41

S65	129	encrypt\$4 with password\$2 with (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:45
S66	251	(index with (select\$2) with (password key) with table\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:46
S67	97	(index with (select\$2) near3 (password key) with table\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:46
S68	97	(index with (select\$2) near3 (password key) with table\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/14 18:46
S69	10	stor\$3 with (one-time adj password) with (disc disk (smart adj card) token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:42
S70	253	(one-time adj password) with (disc disk (smart adj card) token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:54
S71	0	(one-time adj password) with (disc disk (smart adj card) token) same (bastion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/29 17:54
S72	2	(one-time adj password) with (disc disk (smart adj card) token) same (bastion gateway\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:05

S73	9	(one-time adj password) with (disc disk (smart adj card) token) same (bastion gateway\$ firewall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/05/29 17:55
S74	1	SSL with gateway with (remote adj (user device))	IBM_TDB US-PGPUB; USPAT; USOCR;	OR	ON	2006/05/29 21:45
		•	EPO; JPO; DERWENT; IBM_TDB	٠.		,
S75	- 54	SSL with (remote adj (user device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:45
S76	1565	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:33
S77	673	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 17:58
S78	4217	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 18:33
S79	1701	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (password) same (authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 18:43
S80		"6167513".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 18:43

			Г			
S81	522	726/12,13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 19:10
S82	281	(one-time adj password) with (disc disk (smart adj card) token)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/15 19:11
S83	522	726/12,13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:33
S84	1571	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/22 15:34
S85		726/12,13.ccls. and (one adj time) near2 password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:35
S86	206	protect\$4 with area with ((portable near3 device) (smart adj card) token\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:35
S87	373	(inaccessible secur3 protect\$4) with (section region area) with ((portable near3 device) (smart adj card) token\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/22 15:36
S88	1614	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/26 17:58

				<u> </u>		7
S89	687	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/26 17:54
S90	96	((screening adj router) (proxy) (gateway) (bastion) (firewall)) same (one adj time adj password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/26 17:54
S91	540	726/12,13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 17:54
S92	102	bushmitch.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	,2006/12/26 17:56
S93	836492	matsushita.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/26 17:57
S94	731	matsushita.as. and (bastion gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/12/26 17:57
S95	32	matsushita.as. and (bastion gateway) and (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/26 17:57
S96	. 12	713/193.ccls. and (gateway bastion).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/26 17:58

S97	2	713/193.ccls. and (gateway bastion).clm. and (password).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 17:58
-----	---	--	---	----	----	------------------